

# WSS refurbishment fitting



Fittings  
for windows

Construction in existing buildings

Conversion of aluminium windows to Euro-groove

- ✚ Sustainable
- ✚ Patented
- ✚ On-site conversion possible

# The WSS refurbishment fitting for construction in existing buildings



WSS offers you the option of refurbishing aluminium windows for which suitable fittings are no longer available.

Individually matched adaptor rails are used to create a Euro-groove to accommodate the current WSS fittings.

This makes the use of the Standard, Style 180° and Heavy Duty window fittings series possible. These can be supplemented by our restrictors and immobilisers.

The composition of the fittings depends on the profile series at hand as well as the sash dimensions and weights, and can be determined in cooperation with our technical sales team.

Drilling jigs for on-site installation are available from WSS.

## Compatible profile systems:

- WICLINE 60
- Hueck 1.0
- Schüco



The sash groove may have to be milled on-site according to the WSS installation drawing. The required machining depends on the profile.



# Refurbishment instead of disposal: retention of existing window elements


- + No damage to the façade when removing the old elements
- + The windows can be converted directly on site
- + Significant reduction in construction time, low loss of use for the operator
- + High sash weights (up to 200 kg) make the use of new thermal insulation glazing possible
- + Sustainability
- + The lower thermal insulation value of the existing frame and sash profiles can be compensated over decades by the overall reduction in CO<sub>2</sub> emissions in the refurbishment process compared to the production of new windows
- + The windows can be equipped with a large selection of opening restrictors and an upgrade with burglar-resistant fittings based on EN 1627 RC 2 and RC 3 is possible
- + A visual upgrade is achieved through the use of modern WSS gear handles and concealed hinge parts



The refurbishment fitting is composed of the following components:

- 1+2 Adapter sash corners
- 3 Adapter profile on sash side or on sash and frame side (profile-dependent)
- 4+5 Spacers
- 6 Gearbox adapter plate

The refurbishment fitting is supplied as a complete package with the WSS window fittings matched by us.





**Wilh. Schlechtendahl & Söhne**  
GmbH & Co. KG

Hauptstrasse 18–32  
42579 Heiligenhaus  
Germany

Phone: +49 (0) 20 56/17-0  
Fax: +49 (0) 20 56/51 42

wss@wss.de  
www.wss.de

Registered office 42579 Heiligenhaus,  
Wuppertal District Court, HRA 20804

Managing Directors: Guido Lücker, Robin Fasel

VAT Reg. No.: DE 121546484  
Tax ID: 13957280071

All image, product, dimension and design data are as on the day of printing. We reserve the right to make changes that serve technical progress and further development. We assume no liability for printing errors or other technical errors. No legal claims of any kind can be derived from the use of our document. The reproduction of this document, including extracts thereof, requires our written approval.

We expressly refer to our general terms and conditions of business, which can be viewed at [www.wss.de](http://www.wss.de).