

CONSTRUCTION PRODUCTS REGULATION (EU) 305/2011 DECLARATION OF PERFORMANCE DoP N° 016-01-EN

1. Unique identification code of the product type:

Door coordinator for single action doors according to DIN EN 1158 : 1997 / A1: 2002 / AC: 2006-02 0432-CPR-000037-03 Vers. 01

2. Types, batches or serial numbers or another distinctive sign for identifying the product according to Article 11, Paragraph 4, BauPVo (Construction Products Regulation):

Door coordinator round and squared Art. No.: 05.650.3010.010 and 05.650.3510.010 05.650.3020.010 and 05.650.3520.010

3. Intended use specified by the manufacturer or intended use specified by the construction product according to the applicable harmonised technical specification:

A controlled closing sequence of a double-leaf swing door is ensured by a frame mounted stay arm in combination with a sash mounted bumping stop - which is required for smoke and fire doors. Necessarily, these doors have to be equipped with locking mechanisms and a carry bar also.

4. Name, registered trade name or registered trade mark and contact address of the manufacturer according to Article 11 Paragraph 5 of BauPVo (Construction Products Regulation):

WSS - Wilh. Schlechtendahl & Söhne GmbH & Co. KG Hauptstr. 18 - 32 42579 Heiligenhaus

5. Name and contact address of the representative (where applicable) who is authorised with the tasks according to Article 12 Paragraph 2.

N/A

6. System or systems for assessing and checking the constancy of performance of the construction product according to Annex V of BauPVo:

System 1

7. The PIV with the DAKKS accreditation number 1309 has carried out the type testing according to the specifications of 1158:2003-04 and assessed and checked the constancy of performance according to system as well as issued the test report.

8. European Technical Assessment:

N/A

9. Described performance



Harmonised technical specification: DIN EN 1158 : 2003-04

| Essential characteristics | Performance | | | | |
|---|---|--|--|--|--|
| Application class | | | | | |
| 4.2 Application class | Class 3 : For all interior and exterior doors of public buildings and others, where the willingness to care is low and where the likelihood of improper handling of the door is given. | | | | |
| Endurance | | | | | |
| 4.3 Endurance | Class 5: 50.000 test cycles | | | | |
| Door coordinator size | | | | | |
| 4.4 door coordinator size | size 3-7 | | | | |
| Eignung zur Verwendung an Feuer/Rauchschutztüren | | | | | |
| 4.5 Eignung zur Verwendung an Feuer-/Rauchschutztüren | Class 1: Applicable for fire and smoke doors. | | | | |
| Security | | | | | |
| 4.6 Security | Class 1: applicable | | | | |
| corrosion resistance | | | | | |
| 4.7 corrosion resistance | Class 3: high resistance | | | | |
| Check for hazardous substances | | | | | |
| Hazardous substances | Materials used in this product do not contain any hazardous substances. They also do not release any of these to the environment that have been required in any European standard or guideline. | | | | |

The product described under sections 1 and 2 fulfil the services listed under section 9.

According to point 4, the manufacturer bears the sole responsibility for the preparation of the declaration of performance. Signed for, or in the name of the manufacturer by:

A. Pleto

Heiligenhaus, 23. June 2015

Andreas Mielke, certified technician CE-Commisioner (Place and date of issue)



CE-MARKING

relating to the Declaration of Performance N° 016-01-EN BauPVo (EU Nr. 305/2011) for door closer according to DIN EN 1158:2003-4

| CE | | | | | | | | |
|--|--------------|---|---|---|---|---|----|--|
| Wilh. Schlechtendahl & Söhne | | | | | | | | |
| GmbH & Co. KG | | | | | | | | |
| Hauptstraße 18 – 32 | | | | | | | | |
| 42579 Heiligenhaus | | | | | | | | |
| 2017 | | | | | | | | |
| Germany | | | | | | | | |
| DoP-N° 016-01-EN BauPVO (EU N° 305/2011) | | | | | | | | |
| 0432 - CPR-000037-03 Vers. 01 | | | | | | | | |
| | 1158:2003-04 | | | | | | | |
| Door closer | | | | | | | | |
| 4 | 7 | 6 | 0 | 1 | 3 | 1 | 13 | |
| 4 | 7 | 7 | 0 | 1 | 3 | 1 | 14 | |

A. officts

Andreas Mielke, certified technician CE-Commisioner

Heiligenhaus, 23. June 2015

(Place and date of issue)



Manufacturer's Declaration / REACH Regulation

Herewith, we inform you of the conformity of the company of Wilh. Schlechtendahl & Söhne GmbH & Co. KG to the EC regulation 1907/2006 (REACH).

We comply with the requirements given in the REACH regulation.

Being a "downstream user", we synchronize in a timely manner with the suppliers of raw materials and supplies relating to REACH, thus ensuring that REACH does not negatively affect the production of the products purchased by you.

In the (extremely unlikely) event of a relevant change caused by REACH in the delivery capacity and our products' quality we are going to inform you in due course in order to coordinate appropriate measures.

Heiligenhaus, May 2013



Manufacturer's Declaration of Factory Production Control

The system of factory production control of Wilh. Schlechtendahl & Söhne GmbH & Co. KG meets the requirements of product standard DIN EN 1935:2002-05.

Heiligenhaus, May 2013